AUTHOR INDEX

Antipov-Karataev, I., *see* **Joffe, J. S.**

Bartholomew, R. P., and Janssen, George, The relation between concentrations of potassium in culture solutions and optimum plant growth, 189–203.

Beaumont, A. B., *see* **Larsinos, G. J.**

Blanck, E., *see* **Haselhoff, E.**

Blaney, Harry F., *see* **Taylor, C. A.**

Bouyoucos, George John, A new, simple, and rapid method for determining the moisture equivalent of soils, and the rôle of soil colloids on this moisture equivalent, 233–241.

Clark, Norman Ashwell, and Collins, Emerson R., The gravimetric method for the determination of carbonates in soil, 407–414.

Collins, Emerson R., *see* **Clark, Norman Ashwell.**

Dachnowski-Stokes, A. P., The botanical composition and morphological features of "highmoor" peat profiles in Maine, 379–388.

Deatrick, E. P., and Dorman, Clarence, Determination of the fineness of Marl, 121–122.

Dorman, Clarence, *see* **Deatrick, E. P.**

Fleming, Walter E., Effects of carbon disulfide treatment of soil for the Japanese beetle on the abundance of microorganisms and on the ammonia and nitrate content, 153–158.

Fonder, John F., A critical study of the influence of soil type on the calcium and magnesium content and other physiological characters of the alfalfa plant, 205–232; The relationship of soil type to the calcium and magnesium content of green bean stems and leaves and of their expressed juice, 415–431.

Fred, Edwin Brown, and Waksman, Selman A., Laboratory manual of general microbiology with special reference to the microorganisms of the soil (book review), 247–248.

Gardner, W., *see* **Greaves, J. E.**

Gilbert, B. E., and Smith, J. B., Nitrates in soil and plant as indexes of the nitrogen needs of a growing crop, 459–468.

Greaves, J. E., and Gardner, W., Is sulfur a limiting factor of crop production in some Utah soils, 445–457.

Haselhoff, E., and Blanck, E., Lehrbuch der Agrikulturchemie (Textbook of agricultural chemistry) Gebrüder Borntraeger, Berlin, Teil I, II, III (book review), 81.

Heck, A. Floyd, A study of the nature of the nitrogenous compounds in fungous tissue and their decomposition in the soil, 1–47.

Hoagland, D. R., *see* **Johnston, Earl S.**

Janssen, George, The comparative acid tolerance of some southern legumes, 469–497; *see* **Bartholomew, R. P.**

Jenny, Hans, Relation of temperature to the amount of nitrogen in soils, 169–188.

Joffe, J. S., and Antipov-Karataev, I., American soils as seen by Russian investigators, 159–166.

Johnston, Earl S., and Hoagland, D. R., Minimum potassium level required by tomato plants grown in water cultures, 89–109.

Larsinos, G. J., and Beaumont, A. B., Repair of soil filter tubes, 243–246.

McGeorge, W. I., The influence of manganiferous soils on the accuracy of the quinhydrone electrode, 83–88.

Martin, J. D., Effect of crop growth on the replaceable bases in some California soils, 123–136.

Martin, Thomas L., The effect of sweet clover and alfalfa roots and tops on the fungous flora of the soil, 399–405.

Menchikowsky, F., and Ravikovitch, S., The influence of the replaceable bases on the soil solution formation in mineralized soils, 49–68.

Metzger, W. H., The effect of moisture content and cropping on exchangeable Calcium and Magnesium, with particular reference to rice soil, 305–318.

Muller, J. F., The influence of organic matter and lime on soil moisture and on the percentage of carbon and nitrogen in field soils, 137–141.

Murphy, H. F., Some effects of crude petroleum on nitrate production, seed germination, and growth, 117–120.

Nelson, P. R., Lime penetration resulting from surface application to pasture land, 143–146.

Ravikovitch, S., *see* **Menchikowsky, F.**

Robinson, W. O., Detection and significance of manganese dioxide in the soil, 335–350.

Shaw, Chas. F., The measurement of "suction forces" in soils, 111–115.

Shunk, Ivan V., Microbiological activities in the soil of an upland bog in eastern North Carolina, 282–303.

Skeen, John R., The tolerance limit of seedlings for aluminum and iron and the antagonism of calcium, 69–80.

Smith, J. B., *see* **Gilbert, B. E.**

Starkey, Robert L., Some influences of the development of higher plants upon the microorganisms in the soil: I. Historical and Introductory, 319–334; II. Influence of the stage of plant growth upon abundance of organisms, 355–378; III. Influence of the stage of plant growth upon some activities of the organisms, 433–443.

Stevens, Kenneth R., *see* **Waksman, Selman A.**

Taylor, C. A., and Blaney, Harry, F., An efficient soil tube jack, 351–353.

Thomas, Walter, Studies of certain phases of the interrelationship between soil and plant: I. Availability of mineral plant nutrients in relation to the degree of dispersion, 249–270.

Veihmeyer, F. J., An improved soil-sampling tube, 147–152.

Waksman, Selman A., and Stevens, Kenneth R., Contribution to the chemical composition of peat: III. Chemical studies of two Florida peat profiles, 271–281; IV. Chemical studies of highmoor peat profiles from Maine, 389–398. *See* also **Fred, Edwin Brown.**

SUBJECT INDEX

Acid tolerance of legumes, 469–497
Actinomyces as affected by higher plants, 366
Agricultural chemistry, a textbook (book review), 81
Alfalfa—
  calcium in, 208
  composition variations during one day, 227
  in nutrient solution, 194
  magnesium in, 212
  relation to soil type, 205
  roots, effect on fungous flora of soil, 399
  sulfur removed by, 447
Aluminum, tolerance limit of seedlings for, 69
Ammonia—
  effect of sulfur carrying salts on, formation in soils, 453
  in limed and unlimed soils, 289
Ammonification by fungi, 28
Ammonium sulfate on fallow soils, 440
Anions in soil extract as affected by H_2O-soil ratio, 61
Azotobacter chroococcum, use of dextrine in the isolation of, 245–246
Bacteria—
  anaerobic nitrogen fixing, 298
  as affected by sulfur, 452
  numbers, relation to—
    fungous growth, 24
    liming of soil, 288
    plant development, 357
Barley, sulfur removed by, 447
Bases—
  exchangeable, calcium and magnesium, as affected by moisture and cropping, 305
  replaceable—
    crop growth and, 123–136
    distribution of, at various depths, 52
    effect on soil solution, 49–68
    hydrolysis effects on, 60
    in fallow and cropped soils, 127
    method of determining, 124, 133
    method of determining, in presence of $CaCO_3$, 51
Beans—
  calcium in, 415
  magnesium in, 415
  toxicity of Al and Fe to seedlings of, 76
Beets—
  fertilizer for, 461
  sulfur removed by sugar, 447
Buffers, toxicity of, when added to soils, 471
Cabbage, fertilizer for, 461
Calcium—
  antagonism of, against Al and Fe, 69
  content in bean plants, 415
  exchangeable, as affected by moisture and cropping, 305
Carbon—
  bisulfide, effect on microbial activities of the soil, 153
  content of fungous tissue, 18
  content of soils as affected by organic matter and lime, 137
  dioxide—
    apparatus for determining, in soils, 411
    evolution and accumulation of nitrates, 27
    evolved from fallow soils, 435
    formation of in limed and unlimed soil, 291
  nitrogen ratio—
    in fungous mycelium, 6
    in prairie and timber soils, 176, 181
Carbonates, method of determining in soil, 407
Celery, fertilizer for, 461
Cellulose—
  decomposition of, in bog soil, 295
  in fungous tissue, 8
Clover—
  in nutrient solution, 194
  sweet, effect on fungi in soil, 399
Colloidal behavior, discussion on, 250
Corn, sulfur removed by, 447
Cotton in nutrient solution, 196
Cottonseed, nitrogen recovered from, 37
Cowpeas in nutrient solution, 194
Cropping, effect on exchangeable calcium and magnesium, 305

Crops—
sulfur removed by, 447
withdrawal of potassium by, 130
Dialysis experiments, discussion, 251
Fertilizer, for—
beets, 461
cabbage, 461
celery, 461
tomatoes, 461
Fungi—*see* also Soil fungi
ammonification by, 3
filamentous as affected by higher plants, 369
media for, 12
mycelium, composition of, 4, 16
nitrogen fixation by, 3
nitrogen utilization by, 3
Fungous tissue, nitrogenous compounds in, and their decomposition in soil, 1–47
Hydrogen—
ion-concentration—
effect on legumes grown in nutrient solutions, 474
quinhydrone electrode, accuracy of, in measuring, 83
ion-concentration, as affected by—
lime application, 145
manganese, 347
soil-water ratio, 85
peroxide, decomposition of, in soil as related to manganese, 336
Iron—
absorption by plants, 257
tolerance limit of seedlings for, 59
Legumes—
acid tolerance of some, 469–497
hydrogen-ion concentration of nutrient solutions for, 474
inoculated, versus uninoculated, 474
Lime—
effect on—
ammonia formation, 289
bacteria numbers, 288
carbon content of soil, 137
carbon-dioxide evolution, 291
nitrate formation, 289
nitrogen content of soil, 137
soil moisture, 137
penetration of, resulting from surface application to pasture land, 143
Limestone, mechanical analyses of ground, 122
Lupines, toxicity of aluminum and iron to seedlings of, 76
Magnesium—
content in beans, 415
exchangeable in soil, 305
Manganese dioxide—
detection of, in soil, 335, 343
exchangeable in some soils, 339
relation to—
capacity of soil to decompose hydrogen-peroxide, 336
hydrogen-ion concentration of soil, 347
significance of, in soil, 348
Marl, determination of the fineness of, 121–122
Microbiological activities in a soil of an upland bog, 283–303
Microbiology manual with special reference to soil microörganisms (book review), 247
Microörganisms, as affected by—
carbon bisulfide, 153
higher plants, 319, 355
Moisture—
effect on exchangeable calcium and magnesium, 305–318
equivalent—
effect of soil colloids on, 233
method of determining, 233
Nitrate—
content of soil, as effected by carbon bisulfide, 153
formation in limed and unlimed soils, 289
production, as affected by petroleum, 117
Nitrates—
accumulation of—
from decomposing fungous tissue in soil, 25
in fallow soils, 438
in soils treated with sulfur carrying salts, 454
relation of carbonaceous matter to, 31
effect on legumes grown in nutrient solution, 474
in plant as an index of the nitrogen needs of crops, 459–468
in soil as an index of the nitrogen needs of crops, 459–468
Nitrification—
ammonium sulfate, 440
as affected by sulfur-carrying salts, 454
fungous tissue, 9, 21, 38
soil nitrogen, 438

Nitrogen—
ammonium sulfate, disappearance of, from soil, 440
availability of, from fungi, 21
content of field soils as affected by organic matter and lime, 137
content of fungous tissue, 18
fixation—
by fungi, 3
in bog soil, 297
number of organisms in, 369
fungous tissue, its use by oats, 37
gains in, where sulfur-carrying salts have been added to soils, 455
in soils, relation to temperature, 169
organic, mineralization of, 36
utilization of, by fungi, 3
Nutrient solution—
absorption of elements from, and soil: a comparison, 103
Crone, for legumes in sand cultures, 477
potassium concentration in, and plant growth, 189–203
potassium required by tomato plants grown in, 89
Tarr and Noble, for legumes in sand cultures, 473
Oats—
growth of—
in nutrient solution, 193
on fungous nitrogen, 36
sulfur removed by, 447
Organic—
material—
carbon content of, 18
nitrogen content of, 18
matter, effect on—
carbon content of soil, 137
nitrogen content of soil, 137
soil moisture, 137
matter studies, 293
Pasture land, lime application to, 143–146
Peas, sulfur removed by, 447
Peat—
chemical composition of, 271, 389
profiles, morphological features and botanical composition of, 379–388
Permeability, theories of, 249
Petroleum, effect of on nitrate production, germination and growth, 117–120
Phosphate—
absorption of PO_4 from, 263
acids as factor in solubility of, 262
availability of mineral, 259
Plant—
analyses of tomato, grown in nutrient solutions, 99
behavior of with Al or Fe in the nutrient solution, 76
growth—
as affected by petroleum, 117
measurements of, 459
stage of, influencing soil microörganisms, 433
juices—
calcium and magnesium in, 415
specific gravity of, 223
nitrates in, as an index of nitrogen needs of crop, 459
nutrients, relation of, to degree of dispersion, 249
nutrition, solution theory of, a discussion, 255
soil and, interrelationships, 249
Plants—
calcium in bean, 415
carbon dioxide evolution around roots of, in soils, 435
effect on soil microörganisms, 319–334, 355–378, 433–443
iron absorption by, a discussion, 257
magnesium in bean, 415
nitrate-nitrogen accumulation around roots of, in soils, 438
potassium content of, 196
Potassium—
content of plants, 196
effect on calcium absorption, 104
replaceable, loss of, from fallow and cropped soils, 129
tomato plant requirements for, 89
Potatoes, sulfur removed by, 497
Radiobacter group as affected by higher plants, 362
Roots, effect on soil organisms, 375
Seed—
germination as affected by petroleum, 117
sterilization of legume, 472
Seedlings, tolerance of, for Al and Fe and the antagonism of Ca, 69–80
Silica—
gels, effect on ion absorption by plants, 256
method of determining colorimetrically, 52
solubility of, a discussion, 256

Soil—
ammonia, *see* Ammonia
bacteria, *see* Bacteria
carbon bisulfide treatment of, for Japanese beetle, 133–158
carbonates, gravimetric method for the determination of, 407–414
colloids, effect on moisture equivalent, 233
extract—
anions and cations in the, 61
cations in, from different layers of, 55
filter tubes, repair of, 243
fungi, *see* also Fungi—
activities of, 2
occurrence and quantity of, 1
fungi, as affected by—
alfalfa roots, 399
sweet clover, 399
fungi, relation to—
higher plants, 369
nitrogen, 3
manganese dioxide, significance of, in, 335–350
microörganisms as influenced by higher plants, 319, 355, 433
moisture, as affected by, *see* also Moisture—
lime, 137
organic matter, 137
nitrates in, as index of nitrogen needs, 459–468
nitrogen, nitrification of, 438
nitrogenous compounds in fungous tissue and their decomposition in, 1–47
on upland bog, microbiological activities in, 283
organic matter, *see* Organic matter
plant and, interrelationships, 249–270
rice, exchangeable calcium and magnesium in, 305
sampling tube, a new type of, 147–152, 351
solution—
as affected by replaceable bases, 49–68
calcium and magnesium in, growing beans, 419
tube jack for deep sampling, 351
type—
effect on alfalfa, 205–232
relation to calcium and magnesium in bean plants, 415–431
Soils—
American as seen by Russian investigators, 159–166
calcium in cropped and uncropped, a comparison, 428
fallow—
ammonium sulfate nitrogen in, 440
carbon dioxide evolution from, 435
nitrate-nitrogen accumulation in, 438
field, as affected by organic matter and lime, 137–141
hydrogen-ion concentration of—
artificially modified, 472
growing beans, 420
magnesium in cropped and uncropped, a comparison, 428
manganiferous, influence of, on accuracy of the quinhydrone electrode, 83–88
nitrogen, relation to temperature, 169–188
suction force measurements, 111–115
sulfur as limiting factor in crop production of, 445–457
Soybeans in nutrient solution, 195
Sudan grass in nutrient solution, 195
Sulfur—
as limiting factor of crop production, 445–457
pounds of, carried to soil annually by precipitation, 451
removed by—
alfalfa, 447
barley grain, 447
barley straw, 447
corn grain, 447
corn stover, 447
oat grain, 447
oat straw, 447
peas, 447
potatoes, 447
sugar beets, 447
Temperature, relation to nitrogen in soils, 169
Tomatoes—
fertilizer for, 461
minimum potassium requirement by, 89
Wheat growth as affected by petroleum, 119